

AMENDMENTS TO THE CLAIMS

The claims in this listing will replace all prior versions, and listings, of claims in the application.

1-19. (Canceled)

20. (Currently Amended) A communication apparatus connected to a terminal apparatus via a network, the communication apparatus comprising:

a control panel configured to at least enter a destination address;

a memory that stores an address book including a plurality of destination addresses, the address book being stored as a HTML file;

a transmitter that transmits image data to a designated destination address which is stored in the address book, the image data being transmitted via at least one of the network or a telephone network in response to an input from the control panel;

a communicator that transmits the address book to the terminal apparatus when a request for the address book is received from the terminal apparatus, the address book being displayable at the terminal apparatus; and

a controller that, in response to an instruction from the terminal apparatus, transmits at least one input screen, associated with the address book, to the terminal apparatus, said input screen having an input field enabling modification of a destination address, said screen configured so that the address book can be modified from the terminal apparatus,

said communicator transmitting the address book and menu items to the terminal apparatus, wherein the address book and the menu items are displayed as single image at the terminal apparatus, the menu items being utilized to change request the

communication apparatus to transmit an input screen for changing a content of the address book,

wherein said control panel, said memory, said transmitter, said communicator, and said controller are included within a self-contained unit.

21. (Previously Presented) The communication apparatus according to claim 20, wherein said controller deletes a designated destination address in the address book, in accordance with an instruction from the terminal apparatus.

22. (Previously Presented) The communication apparatus according to claim 20, wherein said controller adds a destination address into the address book, in accordance with an instruction from the terminal apparatus.

23. (Previously Presented) The communication apparatus according to claim 20, wherein said controller edits a designated destination address in the address book, in accordance with an instruction from the terminal apparatus.

24. (Previously Presented) The communication apparatus according to claim 20, wherein the address book includes telephone numbers as the destination addresses.

25. (Previously Presented) The communication apparatus according to claim 20, wherein the address book includes e-mail addresses as the destination addresses.

26. (Previously Presented) The communication apparatus according to claim 20, wherein the address book includes a destination name and a type of communication, of each destination address, the type of communication indicating one of a facsimile communication and an e-mail communication.

27. (Cancelled)

P17947.A18

28. (Previously Presented) The communication apparatus according to claim 20, the menu items comprising an adding key that adds a destination address.

29. (Previously Presented) The communication apparatus according to claim 20, the menu items comprising a deleting key that deletes a destination address.

30. (Previously Presented) The communication apparatus according to claim 20, the menu items comprising an edit key that instructs editing a destination address.

31. (Previously Presented) The communication apparatus according to claim 20, wherein the terminal apparatus comprises a personal computer.

32-38. (Canceled)

39. (Currently Amended) A communication method using a communication apparatus connected to a terminal apparatus via a network, the communication apparatus including a control panel, the communication method comprising:

entering at least a destination address through the control panel;

storing an address book including a plurality of destination addresses into a memory, the address book being stored as an HTML file;

transmitting image data to a designated destination address stored in the address book, the image data being transmitted via at least one of the network and a telephone network in response to an input from the control panel;

transmitting the address book to the terminal apparatus when a request for the address book is received from the terminal apparatus, the address book being displayable at the terminal apparatus; and

controlling, in response to an instruction from the terminal apparatus, transmission of at least one input screen associated with the address book, to the terminal apparatus,

P17947.A18

the input screen having an input field enabling modification of the destination address, the input screen enabling modification of the address book from the terminal apparatus,

the transmitting comprising transmitting the address book and menu items, wherein the address book and the menu items are displayed as single image at the terminal apparatus, the menu items being utilized to ~~change~~ request the communication apparatus to transmit an input screen for changing a content of the address book,

wherein the entering, the storing, the transmitting of image data, the transmitting of the address book and the controlling are performed within a self-contained unit.

40. (Previously Presented) The communication method according to claim 39, wherein the controlling deletes a designated destination address in the address book, in accordance with an instruction from the terminal apparatus.

41. (Previously Presented) The communication method according to claim 39, wherein the controlling adds a destination address into the address book, in accordance with an instruction from the terminal apparatus.

42. (Previously Presented) The communication method according to claim 39, wherein the controlling edits a designated destination address in the address book, in accordance with an instruction from the terminal apparatus.

43. (Previously Presented) The communication method according to claim 39, wherein the address book includes telephone numbers as the destination addresses.

44. (Previously Presented) The communication method according to claim 39, wherein the address book includes e-mail addresses as the destination addresses.

45. (Previously Presented) The communication method according to claim 39, wherein the address book includes a destination name and a type of communication, of

P17947.A18

each destination address, the type of communication indicating one of a facsimile communication and an e-mail communication.

46. (Cancelled)

47. (Previously Presented) The communication method according to claim 39, wherein the menu items comprises adding a destination address.

48. (Previously Presented) The communication method according to claim 39, wherein the menu items comprises deleting a destination address.

49. (Previously Presented) The communication method according to claim 39, wherein the menu items comprises editing a destination address.

50-56. (Canceled)

57. (Previously Presented) The communication apparatus according to claim 20, wherein said controller modifies a designated destination address, in accordance with an instruction from the terminal apparatus.

58. (Previously Presented) The communication apparatus according to claim 20, further comprising a scanner and a printer.

59. (Previously Presented) The communication method according to claim 39 further comprising providing a printer and a scanner in the communication apparatus.

60. (Previously Presented) The communication apparatus according to claim 20, further comprising an input device configured to input image data to the communication apparatus, the input device connected to the communication apparatus independently of a connection between the communication apparatus and the network.

61. (Previously Presented) The communication apparatus according to claim 60, the input device comprising a scanner.

62. (Previously Presented) The communication method according to claim 39, further comprising inputting image data to the communication apparatus by an input device connected to the communication apparatus independently of a connection between the communication apparatus and the network.

63. (Previously Presented) The communication method according to claim 62, the inputting comprising scanning.

64. (Previously Presented) The communication apparatus according to claim 20, said single image displaying the address book and the menu items is configured such that selection of one of the menu items at the terminal apparatus causes the communication apparatus to transmit a related one of a plurality of images each configured to permit one of an addition to the address book, a deletion from the address book and an editing of the address book.

65. (Previously Presented) The communication method according to claim 39, further comprising configuring the single image of the address book and menu items such that selection of a menu item at the terminal apparatus causes the communication apparatus to transmit a related one of a plurality of images, each image configured to permit one of an addition to the address book, a deletion from the address book and an editing of the address book.

66. (Previously Presented) The communication apparatus according to claim 20, further comprising an HTML file generating section and an e-mail communication section.

67. (Previously Presented) The communication method according to claim 39, further comprising generating an HTML file and transmitting and receiving e-mail via the network.

P17947.A18

68. (Previously Presented) The communication apparatus according to claim 20, wherein the communication apparatus selectively communicate via the network and via the telephone network.

69. (Previously Presented) The communication method according to claim 39, further comprising selectively transmitting data via the network and the telephone network.